

LaJuana S. Wilcher
Secretary

AIR QUALITY PERMIT

Issued under 401 KAR 52:040
STATE ORIGIN

Ernie Fletcher
Governor



Commonwealth of Kentucky
Environmental and Public Protection Cabinet
Department for Environmental Protection
Division for Air Quality
803 Schenkel Lane
Frankfort, Kentucky 40601-1403
(502) 573-3382

Permittee Name: Burton Stone, Inc.
Mailing Address: 2731 Russell Springs Road, Columbia, Kentucky 42728


is authorized to operate a portable limestone crushing plant

Source Name: Burton Stone, Inc.
Mailing Address: Same as above
Source Location: 897 Fairplay Road, Columbia, Kentucky 42728

KYEIS ID #:	21-001-09020	SIC Code:	1422
AI Number:	40226	County:	Adair
ACTIVITY ID #:	APE20030001		

Application Log #:	56177	Permit Type:	Minor Source Operating
Permit Number:	S-05-019		

Regional Office:	Frankfort Field Operations Branch	Completion Date:	January 30, 2004
	803 Schenkel Lane	Issuance Date:	September 16, 2005
	Frankfort, KY 40601	Expiration Date:	September 16, 2015
	(502) 573-3382		


John S. Lyons, Director
Division for Air Quality

State-Origin Operating
Burton Stone Inc - Portable Plant
Subject Item Inventory

Activity ID No.: APE20030001

Subject Item Inventory:

ID	Designation	Description
AIOO40226		
AREA1	006	Stockpile (610's)
AREA2	009	Stockpile (3's)
AREA3	020	Stockpile (Sand)
AREA4	023	Stockpile (Lime)
AREA5	026	Stockpile (8's)
AREA6	029	Stockpile (57's)
EQPT1	001	Receiving Hopper
EQPT2	002	Primary Crusher (Tel-Smith Jaw) (30" x 42") (Maximum Rated Capacity - 400 tons/hour)
EQPT3	003	Conveyor and Transfer Points (36" x 75') (From Primary Crusher 2 to Screen 5)
EQPT4	004	Screen (6' x 16') (3-Deck) (Maximum Rated Capacity - 400 ton/hour)
EQPT5	005	Conveyor and Transfer Points (36" x 100') (From Screen 5 to 610's Stockpile)
EQPT6	007	Truck Loadout (From 610's Stockpile)
EQPT7	008	Conveyor and Transfer Points (30" x 106') (From Screen 5 to 3's Stockpile)
EQPT8	010	Truck Loadout (From 3's Stockpile)
EQPT9	011	Conveyor and Transfer Points (36" x 70') (From Screen 5 to Secondary Crusher 3)
EQPT11	012	Secondary Crusher (Universal Impact) (130" x 150") (Maximum Rated Capacity - 320 tons/hour)
EQPT12	013	Conveyor and Transfer Points (36" x 98') (From Secondary Crusher 3 to Screen 6)
EQPT13	014	Screen (Tel-Smith 3-Deck) (8' x 20') (Maximum Rated Capacity - 320 ton/hour)

State-Origin Operating
Burton Stone Inc - Portable Plant
Subject Item Inventory

Activity ID No.: APE20030001

ID	Designation	Description
EQPT14	015	Conveyor and Transfer Points (30" x 80') (From Screen 6 to Tertiary Crusher 4)
EQPT15	016	Tertiary Crusher (Tel-Smith Cone) (44") (Maximum Rated Capacity - 150 tons/hour)
EQPT16	017	Conveyor and Transfer Points (30" x 50') (From Tertiary Crusher 4 to Conveyor 013)
EQPT17	018	Screen (Kolberg) (5' x 16') (Maximum Rated Capacity - 200 ton/hour)
EQPT18	019	Conveyor and Transfer Points (24" x 65') (From Lime Screen 10 to Sand Stockpile)
EQPT19	022	Conveyor and Transfer Points (24" x 70') (From Lime Screen 10 to Lime Stockpile)
EQPT20	021	Truck Loadout (From Sand Stockpile)
EQPT21	024	Truck Loadout (From Lime Stockpile)
EQPT22	025	Conveyor and Transfer Points (24" x 80') (From Screen 6 to 8's Stockpile)
EQPT23	027	Truck Loadout (From 8's Stockpile)
EQPT24	028	Conveyor and Transfer Points (30" x 100') (From Screen 6 to 57's Stockpile)
EQPT25	030	Truck Loadout (From 57's Stockpile)

Subject Item Groups:

ID	Description	Components
GACT1	NSPS Group (Screens and Internal Conveyors)	EQPT17 Screen (Kolberg) (5' x 16') (Maximum Rated Capacity - 200 ton/hour)
		EQPT4 Screen (6' x 16') (3-Deck) (Maximum Rated Capacity - 400 ton/hour)
		EQPT13 Screen (Tel-Smith 3-Deck) (8' x 20') (Maximum Rated Capacity - 320 ton/hour)
		EQPT1 Receiving Hopper

State-Origin Operating
Burton Stone Inc - Portable Plant
Subject Item Inventory

Activity ID No.: APE20030001

ID	Description	Components
GACT1	NSPS Group (Screens and Internal Conveyors)	EQPT9 Conveyor and Transfer Points (36" x 70') (From Screen 5 to Secondary Crusher 3)
		EQPT16 Conveyor and Transfer Points (30" x 50') (From Tertiary Crusher 4 to Conveyor 013)
		EQPT3 Conveyor and Transfer Points (36" x 75') (From Primary Crusher 2 to Screen 5)
		EQPT14 Conveyor and Transfer Points (30" x 80') (From Screen 6 to Tertiary Crusher 4)
		EQPT12 Conveyor and Transfer Points (36" x 98') (From Secondary Crusher 3 to Screen 6)
GACT2	NSPS Group (Crushers)	EQPT15 Tertiary Crusher (Tel-Smith Cone) (44") (Maximum Rated Capacity - 150 tons/hour)
		EQPT11 Secondary Crusher (Universal Impact) (130" x 150") (Maximum Rated Capacity - 320 tons/hour)
		EQPT2 Primary Crusher (Tel-Smith Jaw) (30" x 42") (Maximum Rated Capacity - 400 tons/hour)
GACT3	Fugitive Group (Receiving Hopper, External Conveyors, Stockpiles, and Loadouts)	AREA3 Stockpile (Sand)
		EQPT23 Truck Loadout (From 8's Stockpile)
		AREA2 Stockpile (3's)
		AREA1 Stockpile (610's)
		EQPT20 Truck Loadout (From Sand Stockpile)
		EQPT19 Conveyor and Transfer Points (24" x 70') (From Lime Screen 10 to Lime Stockpile)

State-Origin Operating

Burton Stone Inc - Portable Plant

Subject Item Inventory

Activity ID No.: APE20030001

ID	Description	Components
GACT3	Fugitive Group (Receiving Hopper, External Conveyors, Stockpiles, and Loadouts)	EQPT8 Truck Loadout (From 3's Stockpile)
		EQPT7 Conveyor and Transfer Points (30" x 106') (From Screen 5 to 3's Stockpile)
		EQPT6 Truck Loadout (From 610's Stockpile)
		EQPT18 Conveyor and Transfer Points (24" x 65') (From Lime Screen 10 to Sand Stockpile)
		EQPT5 Conveyor and Transfer Points (36" x 100') (From Screen 5 to 610's Stockpile)
		AREA6 Stockpile (57's)
		EQPT21 Truck Loadout (From Lime Stockpile)
		EQPT22 Conveyor and Transfer Points (24" x 80') (From Screen 6 to 8's Stockpile)
		AREA5 Stockpile (8's)
		EQPT24 Conveyor and Transfer Points (30" x 100') (From Screen 6 to 57's Stockpile)
		EQPT25 Truck Loadout (From 57's Stockpile)

State-Origin Operating
Burton Stone Inc - Portable Plant
Subject Item Inventory

Activity ID No.: APE20030001

ID	Description	Components
GACT3	Fugitive Group (Receiving Hopper, External Conveyors, Stockpiles, and Loadouts)	AREA4 Stockpile (Lime)

KEY

ACTV = Activity

AREA = Area

EQPT = Equipment

PERS = Personnel

STOR = Storage

TRMT = Treatment

AIOO = Agency Interest

COMB = Combustion

MNPT = Monitoring Point

PORT = Transport

STRC = Structure

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 1 of 12

Submittal/Action Requirements:

Condition

No. Condition

S-1 SEMIANNUAL REPORTS:

The permittee shall submit report(s): Due semiannually, by the 30th of January and July to the Regional Office listed on the front of this permit at least every six (6) months during the life of this permit. This report shall be a summary of any monitoring required by this permit, other than continuous emission or opacity monitors. For emission units that had not yet begun construction, were still under construction, or which had not commenced operation at the end of the 6-month period covered by the report and are subject to monitoring requirements in this permit, the report shall indicate that no monitoring was performed during the previous six months because the emission unit was not in operation. All reports shall be certified by a responsible official. All deviations from permit requirements shall be clearly identified in the reports. [401 KAR 52:040 Section 21]

S-2 COMPLIANCE CERTIFICATION:

The permittee shall certify compliance with the terms and conditions contained in this permit and shall submit compliance certification: Due annually, by the 30th of January to the Regional Office listed on the front of this permit. Compliance Certification Form (DEP 7007CC) (or an approved alternative) shall be used in accordance with the following requirements:

- a. Identification of the term or condition;
- b. Compliance status of each term or condition of the permit;
- c. Whether compliance was continuous or intermittent;
- d. The method used for determining the compliance status for the source, currently and over the reporting period, and
- e. For emission units that had not yet begun construction, were still under construction, or which had not commenced operation at the end of the 12-month period covered by the annual compliance certification, the permittee shall indicate that the unit is not in operation and that compliance with any applicable requirements will be demonstrated within the timeframes specified in the permit.
- f. The certification shall be postmarked by January 30th of each year. Annual compliance certifications should be mailed to the Regional Office listed on the front of this permit and the following address:

Division for Air Quality
Central Files
803 Schenkel Lane
Frankfort, KY 40601. [401 KAR 52:040 Section 19]

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 2 of 12

Submittal/Action Requirements:

Condition No.	Condition
S-3	<p>PERFORMANCE TEST NOTICE AND REPORT:</p> <p>Pursuant to Section VII 2.(1) of the policy manual of the Division for Air Quality as referenced by 401 KAR 50:016, Section 1.(1), at least one month prior to the date of any required performance test(s), the permittee shall complete and return a Compliance Test Protocol (Form DEP 6027) to the Division's Frankfort Central Office. Pursuant to 401 KAR 50:045, Section 5, the Division shall be notified of the actual test date at least ten (10) days prior to the test.</p> <p>For any performance test(s) required by this permit, the permittee shall submit performance/emission test results: Due within 45 days of the completion of the fieldwork to the Division. [Policy Manual of the Division for Air Quality, Section VII.3] [401 KAR 50:016 Section 1(1)]</p>
S-4	<p>PERMIT EXPIRATION AND REAPPLICATION REQUIREMENTS:</p> <p>This permit shall remain in effect for a fixed term of ten (10) years following the original date of issue. Permit expiration shall terminate the source's right to operate unless a timely and complete renewal application has been submitted to the Division. The permittee shall submit permit application for renewal: Due 180 calendar days before permit expiration date to the Division. Upon a timely and complete submittal, the authorization to operate within the terms and conditions of this permit, including any permit shield, shall remain in effect beyond the expiration date, until the renewal permit is issued or denied by the Division. [401 KAR 52:040 Section 15]</p>

Narrative Requirements:

Condition No.	Condition
T-1	<p>SECTION A. PERMIT AUTHORIZATION. [401 KAR 52:040]</p>

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 3 of 12

Narrative Requirements:

Condition No.	Condition
T-2	<p>A1. Pursuant to a duly submitted application, the Kentucky Division for Air Quality hereby authorizes the operation of the equipment described herein in accordance with the terms and conditions of this permit. This permit has been issued under the provisions of Kentucky Revised Statutes Chapter 224 and regulations promulgated pursuant thereto.</p> <p>The permittee shall not construct, reconstruct, or modify an affected facility without first having submitted a complete application and received a permit for the planned activity from the Division, except as provided in this permit or in 401 KAR 52:040, State-origin permits.</p> <p>Issuance of this permit does not relieve the permittee from the responsibility of obtaining other permits, licenses, or approvals that may be required by the Cabinet or other federal, state, or local agencies. [401 KAR 52:040]</p>
T-3	<p>A2. At least 15 days prior to moving the portable operation to any other site in the Commonwealth of Kentucky (excluding Jefferson County), the permittee shall provide written notification and submit a completed DEP7007AI form to reflect the change in location to Division for Air Quality's Frankfort Field Operations Branch, 803 Schenkel Lane, Frankfort, Kentucky 40601. In addition, if the date of the intended operation is canceled or rescheduled, the permittee shall notify the Division at least 5 days prior to the new date of the intended operation. [401 KAR 52:040]</p>
T-4	<p>SECTION B. ADMINISTRATIVE REQUIREMENTS. [401 KAR 52:040]</p>
T-5	<p>B1. The permittee shall comply with all conditions of this permit. Noncompliance shall be a violation of 401 KAR 52:040, Section 3(1)(b) and is grounds for enforcement action including but not limited to the termination, revocation and reissuance, or revision of this permit. [401 KAR 52:040 Section 3(1)(b)]</p>
T-6	<p>B2. Any condition or portion of this permit which becomes suspended or is ruled invalid as a result of any legal or other action shall not invalidate any other portion or condition of this permit. [Cabinet Provisions and Procedures for Issuing State Origin Permits, Section 1a (11)]. [401 KAR 52:040 Section 23]</p>
T-7	<p>B3. This permit may be revised, revoked, reopened, reissued, or terminated for cause. The filing of a request by the permittee for any permit revision, revocation, reissuance, or termination, or of a notification of a planned change or anticipated noncompliance shall not stay any permit condition. [Cabinet Provisions and Procedures for Issuing State Origin Permits, Section 1a (4) and (5)]. [401 KAR 52:040 Section 23]</p>
T-8	<p>B4. This permit does not convey property rights or exclusive privileges. [Cabinet Provisions and Procedures for Issuing State Origin Permits, Section 1a, 8]. [401 KAR 52:040 Section 23]</p>
T-9	<p>B5. Nothing in this permit shall alter or affect the liability of the permittee for any violation of applicable requirements prior to or at the time of permit issuance. [401 KAR 52:040 Section 11(3)]</p>

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 4 of 12

Narrative Requirements:

Condition No.	Condition
T-10	B6. This permit shall be subject to suspension at any time the permittee fails to pay all fees within 90 days after notification as specified in 401 KAR 50:038 Section 3(6)(b), Air emissions fee. The permittee shall submit an annual emissions certification. [401 KAR 52:040 Section 20]
T-11	B7. All previously issued construction and operating permits are hereby null and void. [401 KAR Chapter 52]
T-12	SECTION C. RECORD KEEPING REQUIREMENTS. [401 KAR 52:040]
T-13	C1. Records of all required monitoring data and support information, including calibrations, maintenance records, and original strip chart recordings, and copies of all reports required by the Division for Air Quality, shall be retained by the permittee for a period of at least five years and shall be made available for inspection upon request by any duly authorized representative of the Division for Air Quality. [Cabinet Provisions and Procedures for Issuing State Origin Permits, Sections 1b (IV)(2) and 1a (7)]. [401 KAR 52:040 Section 23]
T-14	C2. The permittee shall perform compliance certification and recordkeeping sufficient to assure compliance with the terms and conditions of the permit. Documents, including reports, shall be certified by a responsible official. [401 KAR 52:040 Section 21]
T-15	SECTION D. REPORTING REQUIREMENTS. [401 KAR 52:040]
T-16	D1. a. The permittee shall notify the Regional Office listed on the front of this permit concerning startups, shutdowns, or malfunctions as follows i. When emissions during any planned shutdowns and ensuing startups will exceed the standards, notification shall be made no later than three (3) days before the planned shutdown, or immediately following the decision to shut down, if the shutdown is due to events which could not have been foreseen three (3) days before the shutdown. ii. When emissions due to malfunctions, unplanned shutdowns and ensuing startups are or may be in excess of the standards notification shall be made as promptly as possible by telephone (or other electronic media) and shall submit written notice upon request. b. The permittee shall promptly report deviations from permit requirements including those attributed to upset conditions (other than emission exceedances covered by Reporting Requirement condition D1.a above), the probable cause of the deviation, and corrective or preventive measures taken; to the Regional Office listed on the front of this permit within 30 days. Other deviations from permit requirements shall be included in the semiannual report. [Cabinet Provisions and Procedures for Issuing State Origin Permits, Section 1b, V(3)]. [401 KAR 50:055 Section 1]
T-17	D2. The permittee shall furnish information requested by the Cabinet to determine if cause exists for modifying, revoking and reissuing, or terminating the permit; or compliance with the permit. [Cabinet Provisions and Procedures for Issuing State Origin Permits, Section 1a, 6]. [401 KAR 52:040 Section 23]
T-18	SECTION E. INSPECTIONS. [401 KAR 52:040]

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 5 of 12

Narrative Requirements:

Condition No.	Condition
T-19	<p>E1. The permittee shall allow authorized representatives of the Cabinet to perform the following during reasonable times:</p> <ul style="list-style-type: none">a. Enter upon the premises to inspect any facility, equipment (including air pollution control equipment), practice, or operation;b. To access and copy any records required by the permit;c. Inspect any facilities, equipment (including monitoring and pollution control equipment), practices, or operations required by the permit.d. Sample or monitor substances or parameters to assure compliance with the permit or any applicable requirements. <p>Reasonable times are defined as during all hours of operation, during normal office hours; or during an emergency. [401 KAR 52:040 Section 3(1)(f)]</p>
T-20	<p>SECTION F. EMERGENCIES/ENFORCEMENT PROVISIONS. [401 KAR 52:040]</p>
T-21	<p>F1. The permittee shall not use as defense in an enforcement action, the contention that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance [Cabinet Provisions and Procedures for Issuing State Origin Permits, Section 1a, 3]. [401 KAR 52:040 Section 23]</p>
T-22	<p>F2. An emergency shall constitute an affirmative defense to an action brought for the noncompliance with the technology-based emission limitations if the permittee demonstrates through properly signed contemporaneous operating logs or relevant evidence that:</p> <ul style="list-style-type: none">a. An emergency occurred and the permittee can identify the cause of the emergency;b. The permitted facility was at the time being properly operated;c. During an emergency, the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards or other requirements in the permit; andd. The permittee notified the Division as promptly as possible and submitted written notice of the emergency to the Division within two working days after the time when emission limitations were exceeded due to the emergency and included a description of the emergency, steps taken to mitigate emissions, and corrective actions taken. <p>These provisions are in addition to any emergency or upset provision contained in an applicable requirement. [401 KAR 52:040 Section 22(1)]</p>
T-23	<p>F3. In an enforcement proceeding, the permittee seeking to establish the occurrence of an emergency shall have the burden of proof. [401 KAR 52:040 Section 22(2)]</p>
T-24	<p>SECTION G. COMPLIANCE. [401 KAR 52:040]</p>

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 6 of 12

Narrative Requirements:

Condition No.	Condition
T-25	<p>G1. Periodic testing or instrumental or non-instrumental monitoring, which may consist of record keeping, shall be performed to the extent necessary to yield reliable data for purposes of demonstration of continuing compliance with the conditions of this permit. For the purpose of demonstration of continuing compliance, the following guidelines shall be followed:</p> <ul style="list-style-type: none">a. Pursuant to 401 KAR 50:055, General compliance requirements, Section 2(5), all air pollution control equipment and all pollution control measures proposed by the application in response to which this permit is issued shall be in place, properly maintained, and in operation at any time an affected facility for which the equipment and measures are designed is operated, except as provided by 401 KAR 50:055, Section 1.b. All the air pollution control systems shall be maintained regularly in accordance with good engineering practices and the recommendations of the respective manufacturers. A log shall be kept of all routine and non routine maintenance performed on each control device.c. A log of the monthly raw material consumption and/or monthly production rates shall be kept available at the facility. Compliance with the emission limits may be demonstrated by computer program, spread sheets, calculations or performance tests as may be specified by the Division. [401 KAR 50:055 Section 2]
T-26	<p>G2. Permit Shield - A permit shield shall not protect the owner or operator from enforcement actions for violating an applicable requirement prior to or at the time of permit issuance. Compliance with the conditions of this permit shall be considered compliance with all:</p> <ul style="list-style-type: none">(a) Applicable requirements that are included and specifically identified in this permit; or(b) Non-applicable requirements expressly identified in this permit. [401 KAR 52:040 Section 11]

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 7 of 12

**GACT1 (001) NSPS Group
(Screens and Internal Conveyors):**

Limitation Requirements:

Condition No.	Parameter	Condition
L-1	Visible Emissions	The unit shall have Visible Emissions \leq 10 % opacity. [40 CFR 60.672(b), 40 CFR 60.675(c)(3)] This requirement is applicable during the following months: All Year. Statistical basis: Acceptable basis.

Monitoring Requirements:

Condition No.	Parameter	Condition
M-1	Visible Emissions	For emissions from the unit(s), Visible Emissions monitored by 40 CFR 60, Appendix A, Method 9 once initially and annually shall be determined. [40 CFR 60.675(c)(1)] This requirement is applicable during the following months: All Year. Statistical basis: Three-hour average.

Narrative Requirements:

Applicable Regulations:

Condition No.	Condition
T-1	Applicable Regulations: Standards of performance for nonmetallic mineral processing plants is applicable and requires compliance with 40 CFR 60 Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants. 401 KAR 60:670 and 40 CFR 60 Subpart OOO apply to affected facilities in fixed nonmetallic minerals processing plants with capacities more than 25 tons/hr or in portable nonmetallic minerals processing plants with capacities more than 150 tons/hr provided the affected facilities are commenced after August 31, 1983. [401 KAR 60:670 Section 2]

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 8 of 12

Narrative Requirements:

Compliance Demonstration:

Condition No.	Condition
T-2	Compliance Demonstration: Applicable to 40 CFR 60 Subpart OOO opacity limitation on the unit(s). Initial demonstration of compliance shall be through the visible emission performance testing described in this permit. Subsequent demonstration of compliance shall annually and upon request of the Division utilize the same testing procedures applicable to initial compliance demonstration. Otherwise, compliance is assumed when daily observations indicate that the process and controls are operating normally. [401 KAR Chapter 52, 40 CFR 60.675(e)(1)]

Recordkeeping:

Condition No.	Condition
T-3	Recordkeeping: See Sections C1, C2 and G1 of this permit. [401 KAR 52:040 Section 10]

Reports and Submittals:

Condition No.	Condition
T-4	Reports and Submittals: See Semiannual Reports, Compliance Certification, and Section D1, and D2 of this permit. [401 KAR 52:040 Section 10]

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 9 of 12

GACT2 (002) NSPS Group (Crushers):

Limitation Requirements:

Condition No.	Parameter	Condition
L-1	Visible Emissions	The unit shall have Visible Emissions \leq 15 % opacity. [40 CFR 60.672(c), 40 CFR 60.675(c)(4)] This requirement is applicable during the following months: All Year. Statistical basis: Acceptable basis.

Monitoring Requirements:

Condition No.	Parameter	Condition
M-1	Visible Emissions	For emissions from the unit(s), Visible Emissions monitored by 40 CFR 60, Appendix A, Method 9 once initially and annually shall be determined. [40 CFR 60.675(c)(1)] This requirement is applicable during the following months: All Year. Statistical basis: Three-hour average.

Narrative Requirements:

Applicable Regulations:

Condition No.	Condition
T-1	Applicable Regulations: Standards of performance for nonmetallic mineral processing plants is applicable and requires compliance with 40 CFR 60 Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants. 401 KAR 60:670 and 40 CFR 60 Subpart OOO apply to affected facilities in fixed nonmetallic minerals processing plants with capacities more than 25 tons/hr or in portable nonmetallic minerals processing plants with capacities more than 150 tons/hr provided the affected facilities are commenced after August 31, 1983. [401 KAR 60:670 Section 2]

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 10 of 12

Narrative Requirements:

Compliance Demonstration:

Condition No.	Condition
T-2	Compliance Demonstration: Applicable to 40 CFR 60 Subpart OOO opacity limitation on the unit(s). Initial demonstration of compliance shall be through the visible emission performance testing described in this permit. Subsequent demonstration of compliance shall annually and upon request of the Division utilize the same testing procedures applicable to initial compliance demonstration. Otherwise, compliance is assumed when daily observations indicate that the process and controls are operating normally. [401 KAR Chapter 52, 40 CFR 60.675(e)(1)]

Recordkeeping:

Condition No.	Condition
T-3	Recordkeeping: See Sections C1, C2 and G1 of this permit. [401 KAR 52:040 Section 10]

Reports and Submittals:

Condition No.	Condition
T-4	Reports and Submittals: See Semiannual Reports, Compliance Certification, and Section D1, and D2 of this permit. [401 KAR 52:040 Section 10]

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 11 of 12

GACT3 (003) Fugitive Group
(Receiving Hopper, External Conveyors, Stockpiles, and Loadouts):

Monitoring Requirements:

Condition No.	Parameter	Condition
M-1	Visible Emissions	All operations and control equipment contained in the described item or group shall be observed daily during daylight hours to determine whether conditions appear to be normal or abnormal. Normal or abnormal determinations for Visible Emissions monitored by visual inspection/determination daily shall be made. If the operations, controls and/or emissions appear to be abnormal, the permittee must then comply with the deviation reporting described in Section D of this permit. [401 KAR 52:040 Section 10] This requirement is applicable during the following months: All Year. Statistical basis: Instantaneous determination.
M-2	Compliance Demonstration	In addition to other monitoring described for the unit(s), continued Compliance Demonstration monitored by acceptable method(s) as needed shall be demonstrated through periodic testing, record keeping, etc. as described in Section C and D of this permit. [401 KAR 52:040 Section 10] This requirement is applicable during the following months: All Year. Statistical basis: Approved basis.

Narrative Requirements:

Applicable Regulations:

Condition No.	Condition
T-1	Applicable Regulations: Fugitive emissions is applicable to each affected facility which emits or may emit fugitive emissions and is not elsewhere subject to an opacity standard within the administrative regulations of the Division for Air Quality. [401 KAR 63:010 Section 1]

Additional Limitations:

Condition No.	Condition
T-2	Additional Limitations: No person shall cause or permit the discharge of visible fugitive dust emissions beyond the lot line of the property on which the emissions originate. In addition, the materials processed at each unit listed above shall be controlled with wet suppression and/or enclosures so as to comply with the standards specified in Section 3 of 401 KAR 63:010, Fugitive emissions. [401 KAR 63:010 Section 3]

State-Origin Operating
Burton Stone Inc - Portable Plant
Facility Requirements

Activity ID No.: APE20030001

Page 12 of 12

Narrative Requirements:

Compliance Demonstration:

Condition No.	Condition
T-3	Compliance Demonstration: Applicable to Fugitive Emission Limitation. Observations and records, if applicable, shall be utilized to demonstrate failure to comply. Otherwise, compliance is assumed when daily observations indicate that the processes and controls are operating normally. [401 KAR Chapter 52]

Recordkeeping:

Condition No.	Condition
T-4	Recordkeeping: See Sections C1, C2, and G1 of this permit. [401 KAR 52:040 Section 10]

Reports and Submittals:

Condition No.	Condition
T-5	Reports and Submittals: See Semiannual Reports, Compliance Certification, and Section D1, and D2 of this permit. [401 KAR 52:040 Section 10]